

Crēdo Cube™

THERMAL PACKAGING SOLUTIONS



Crēdo Series 4

Temperature
2 - 8° (35 - 46°F)

Duration
24 - 168 hours

Volume
2 - 96 L

Full & Half Pallet

Crēdo Series 22

Temperature
15 - 25°C (59 - 77°F)

Duration
24 - 168 hours

Volume
2 - 96 liters

Full & Half Pallet

Why Choose Crēdo?

Protect and safely transport critical temperature-sensitive materials.

Share your needs and we will assist by recommending a Crēdo thermally protected shipper to meet your payload size, weight, duration and temperature stability requirements that will reduce payload risk.

Reduce training, pack out time and overall distribution costs.

Easy and quick assembly all year round with fewer components and flexible modular design allowing for smaller inventory and storage needs.

Gain Highest Return on Investment.

Durable, reusable Crēdo containers provide lowest cost per use and greater payload volume capacity with comprehensive closed loop reverse logistics services available.

Crēdo Series 20M

Temperature
Below -18°C (Sub
-0.4°F)

Duration
48 - 120 hours

Volume
3 - 96 liters

Full & Half Pallet

Crēdo Series 50M

Temperature
Below -40°C (-40°F)

Duration
72 - 120 hours

Volume
4 - 96 liters

Crēdo Cube™

Thermal Packaging Solutions



Crēdo Series 4 (2°C - 8°C)

Shipper Name	Payload Interior Dimensions (inches)	Outer Dimensions (inches)	Tare Weight (lbs.)	ISTA 7D Summer Performance	ISTA 7D Winter Performance	Volume (liters)
224 Kraft	6 x 5 x 4.25	12.25 x 11 x 11.25	9.0	29.17	126.17+	2
248 EMT	6 x 5 x 4.25	9.25 x 8.25 x 8	7.2	45.08	67.58	2
272	6 x 5 x 4.25	10.875 x 9.875 x 9.5	9.8	74.75	121.58	2
3120	5.1 x 5.1 x 5.1	12.5 x 10.5 x 10.75	12.7	93.97	161.17	3
496	5.9 x 5.9 x 5.9	12.5 x 10.5 x 10.75	11.0	65.25	146.03	4
896	11.1 x 6.5 x 6.5	17.5 x 11.375 x 11.5	16.6	76.86	146.08	8
10120	8.5 x 8.5 x 8.5	15 x 13 x 13.5	24.0	104.72	147+	10
1296	8.9 x 8.9 x 8.9	15 x 13 x 13.5	21.8	94.86	146.03	12
1696	10 x 10 x 10	16.5 x 14.63 x 15	25.0	88.17	145.33	16
2896	12 x 12 x 12	18 x 16.5 x 17	35.2	103.22	146.03	28
4296	18 x 12 x 12	24 x 16.25 x 16.625	44.2	115.92	120+	42
5696	15 x 15 x 15	21 x 19.5 x 19.75	54.3	104.72	120+	56
9696 Kraft	18 x 18 x 18	30 x 25.75 x 28	84.0	106.08	X	96
2" VIP (Nested)						
2168	6 x 5 x 4.25	18.5 x 14.5 x 13	37.0	168+	168+	2
4120	5.9 x 5.9 x 5.9	15 x 13 x 13.5	17.4	105.0	147.25	4
1248	8.9 x 8.9 x 8.9	17.0 x 15.25 x 16.25	20.6	43.17	144+	12
12168	8.9 x 8.9 x 8.9	18 x 16.5 x 17	31.8	169.92	170+	12
16168	10 x 10 x 10	18.5 x 16.75 x 16.125	32.2	166.08	185.33	16
28168	12 x 12 x 12	21 x 19.5 x 19.75	50.2	167.08	171.00+	28

Crêdo Series 22 (15°C - 25°C)

Shipper Name	Payload Interior Dimensions (inches)	Outer Dimensions (inches)	Tare Weight (lbs.)	ISTA 7D Summer Performance	ISTA 7D Winter Performance	Volume (liters)
3120	5.1 x 5.1 x 5.1	12.5 x 10.5 x 10.75	12.5	136.14	74.64	3
496	5.9 x 5.9 x 5.9	12.5 x 10.5 x 10.75	11.2	108.75	47.92	4
10120	8.35 x 8.35 x 8.35	15 x 13 x 13.5	23.5	121.00	122.75	
1296	8.9 x 8.9 x 8.9	17 x 15.25 x 16.25	20.6	77.42	34.42	12
1296	8.9 x 8.9 x 8.9	15 x 13 x 13.5	20.5	100+	76.92	12
1696	10 x 10 x 10	16.5 x 14.63 x 15.0	25.0	122.67	141.67	16
2896	12 x 12 x 12	18 x 16.5 x 17	35.4	136.17	69.08	28
5696	15 x 15 x 15	21 x 19.5 x 19.75	56.0	128	60.08	56
9696 Kraft	18 x 18 x 18	30 x 25.75 x 28	84.0	X	X	96
10120	8.5 x 8.5 x 8.5	15 x 13 x 13.5	25.0	120.0	103.0	10
2" VIP (Nested)						
4168	5.9 x 5.9 x 5.9	15 x 13 x 13.5	17.4	164.00	96.25	4
12168	8.9 x 8.9 x 8.9	18 x 16.5 x 17	31.0	192.42	132.75	12
16168	10 x 10 x 10	18.5 x 16.75 x 17.125	32.1	101.08	129.93	16
28168	12 x 12 x 12	21 x 19.5 x 19.75	50.24	167.08	170	28
56168	15 x 15 x 15	26.5 x 26.5 x 26	105.2	192.58	121.17	56

Crêdo Series 50M (Sub -40°C)

Shipper Name	Payload Interior Dimensions (inches)	Outer Dimensions (inches)	Tare Weight (lbs.)	ISTA 7D Summer Performance	Volume (liters)
9672	18 x 18 x 18	26.5 x 26.5 x 25.25	124	88.58	X
2" VIP (Nested)					
496	5.9 x 5.9 x 5.9	15 x 13 x 13.5	20.4	82.58	X
1296	8.9 x 8.9 x 8.9	18 x 16.5 x 17	38.0	96+	12
1696	10 x 10 x 10	18.5 x 16.75 x 17.125	42.0	78.58	16
2896	12 x 12 x 12	21 x 19.5 x 19.75	58.8	102.42	28
5696	15 x 15 x 15	27 x 27 x 26	121.0	143.58	56

Crēdo Series 20M (Sub -18°C)

Shipper Name	Payload Interior Dimensions (inches)	Outer Dimensions (inches)	Tare Weight (lbs.)	ISTA 7D S Summer Performance	Volume (liters)
396	5.1 x 5.1 x 5.1	12.5 x 10.5 x 10.75	14.8	72.09	3
472	5.9 x 5.9 x 5.9	12.5 x 10.5 x 10.75	13.4	64.92	4
872	11.1 x 6.5 x 6.5	17.5 x 11.375 x 11.5	17.4		
1096	8.5 x 8.5 x 8.5	15 x 13 x 13.5	30.0	108.22	10
1296	8.9 x 8.9 x 8.9	15 x 13.75 x 13.5	27.0	101.03	12
1696	10 x 10 x 10	16.5 x 14 x 14.15	30.0	95.33	16
2896	12 x 12 x 12	18.x 16.5 x 17	42.2	94.08	28
4296	18 x 12 x 12	24 x 16.25 x 16.6	57.6	103.61	X
5696	15 x 15 x 15	21 x 19.5 x 19.75	66.6	122.83	56
9696 Kraft	18 x 18 x 18	27 x 27 x 26	102.0	X	96
2" VIP (Nested)					
496	5.9 x 5.9 x 5.9	15 x 13 x 13.5	21.4	115.78	4
12168	8.9 x 8.9 x 8.9	18 x 16.5 x 17	34.6	155.33	12
16168	10 x 10 x 10	18.5x 16.75 x 17.125	41.4	168.17	16
28168	12 x 12 x 12.	21 x 19.5x 19.75	58.6	183.58	28
56168	15 x 15 x 15	26.5 x 26.5 x 26	116.8	168.08	56

“The cost of the Crēdo shipper is insignificant compared to the value it provides my customers. In this business, reliability is everything. We can’t replace time. We can’t allow a shipment to fall out of temperature compliance. I know they’ll arrive intact at the right temperature. It’s hard to put a price on peace-of-mind, and the Crēdo shipper provides that.”

– Director of Operations, CSM

PELICAN BIOTHERMAL, LLC

Sales & Operations Headquarters

3020 Niagara Lane North

Plymouth, MN 55447 USA

1.877. 537.9800

+34 933015994 EU Customer Care Line

www.pelicanbiothermal.com

5-CredoCubeNA_V6_0915

Golden Hour, TIC, Credo, Credo CUBE, Credo PRO ENVISION, Credo XTREME, Credo DuraCUBE, Credo PROMED, Chronos Advance, Sherpa Systems and CoolPall Vertos are registered trademarks of Pelican Products, Inc., its parent, subsidiaries and/or affiliates.

ISO9001-2008 Certification
ISO14001-2004 Certification
OHASA18001-2007 Certification
ISO17025-2005 Certification

